

兔抗 ACSL3 多克隆抗体

中文名称：兔抗 ACSL3 多克隆抗体

英文名称：Anti-ACSL3 rabbit polyclonal antibody

别 名：ACSL3; FACL3; PRO2194

相关类别：一抗

储 存：冷冻（-20℃）

宿 主：Rabbit

抗 原：ACSL3

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is an isozyme of the long-chain fatty-acid-coenzyme A ligase family. Although differing in substrate specificity, subcellular localization, and tissue distribution, all isozymes of this family convert free long-chain fatty acids into fatty acyl-CoA esters, and thereby play a key role in lipid biosynthesis and fatty acid degradation. This isozyme is highly expressed in brain, and preferentially utilizes myristate, arachidonate, and eicosapentaenoate as substrates.
Applications:	ELISA, WB, IHC
Name of antibody:	ACSL3
Immunogen:	Synthetic peptide of human ACSL3
Full name:	acyl-CoA synthetase long-chain family member 3
Synonyms :	ACS3; FACL3; PRO2194
SwissProt:	O95573
ELISA Recommended dilution:	1000-2000
IHC positive control:	Human cervical cancer and human gastric cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	80 kDa
WB Positive control:	231 cell
WB Recommended dilution:	200-1000



