

## 兔抗 ACTN4 多克隆抗体

中文名称: 兔抗 ACTN4 多克隆抗体

英文名称: Anti-ACTN4 rabbit polyclonal antibody

别 名: FSGS; FSGS1; ACTININ-4

相关类别: 一抗

抗原: ACTN4

储 存: 冷冻 (-20℃)

宿 主: Rabbit

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格



## 全国订货电话 4008-723-722

| Background:                 | Alpha actinins belong to the spectrin gene superfamily which represents a diverse group of cytoskeletal proteins, including the alpha and beta spectrins and dystrophins. Alpha actinin is an actin-binding protein with multiple roles in different cell types. In nonmus cle cells, the cytoskeletal isoform is found along microfilament bundles and adherens-type junctions, where it is involved in binding actin to the membrane. In contrast, skeletal, cardiac, and smooth muscle isoforms are localized to the Z-disc and analogous dense bodies, where they help anchor the myofibrillar actin filaments. This gene encodes a nonmuscle, alpha actinin isoform which is concentrated in the cytoplasm, and thought to be involved in metastatic processes. |
|-----------------------------|--|
| Applications:               | ELISA, WB, IHC   |
| Name of antibody:           | ACTN4  |
| Immunogen:                  | Fusion protein of human ACTN4  |
| Full name:                  | actinin, alpha 4   |
| Synonyms:                   | FSGS; FSGS1; ACTININ-4   |
| SwissProt:                  | O43707   |
| ELISA Recommended dilution: | 2000-5000  |
| IHC positive control:       | Human esophagus cancer and Human thyroid cancer  |
| IHC Recommend dilution:     | 50-200   |
| WB Predicted band size:     | 105 kDa  |
| WB Positive control:        | Lovo cells and mouse kidney tissue, 231 and hepG2 cells  |
| WB Recommended dilution:    | 500-2000   |



## 全国订货电话 4008-723-722



