

兔抗 SOCS6 多克隆抗体

中文名称：兔抗 SOCS6 多克隆抗体

英文名称： Anti-SOCS6 rabbit polyclonal antibody

别名： CIS4; SSI4; CIS-4; SOCS4; STAI4; SOCS-4; SOCS-6; STATI4; HSPC060

储存： 冷冻（-20℃）

抗原： SOCS6

宿主： Rabbit

相关类别： 一抗

反应种属： Human, Mouse

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:

The protein encoded by this gene contains a SH2 domain and a CIS homolog domain. The protein thus belongs to the cytokine-induced STAT inhibitor (CIS), also known as a suppressor of cytokine signaling (SOCS) or STAT-induced STAT inhibitor (SSI), protein family. CIS family members are known to be cytokine-inducible negative regulators of cytokine signaling. The expression of this gene can be induced by GM-CSF and EPO in hematopoietic cells. A high expression level of this gene was found in factor-independent chronic myelogenous leukemia (CML) and erythroleukemia (HEL) cell lines.

Applications:	ELISA, WB, IHC
Name of antibody:	SOCS6
Immunogen:	Fusion protein of human SOCS6
Full name:	suppressor of cytokine signaling 6
Synonyms:	CIS4; SSI4; CIS-4; SOCS4; STAI4; SOCS-4; SOCS-6; STATI4; HSPC060
SwissProt:	O14544
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	60 kDa
WB Positive control:	Human placenta tissue lysate
WB Recommended dilution:	200-1000



